# INDEX TO VOLUME 21


Acetylcholine and eserine, their effect on the movement of $Na^+$ across the corneal epithelium, 235
Acid mucopolysaccharides in the outflow apparatus, 417
Adaptation, light and dark, in the retina, a hypothetical model for the possible involvement of rhodopsin phosphorylation in, 405
Adenosine triphosphatase (NaK–ATPase) activity in the rat cornea, electron microscopic localization of, 269
Aerobic and anaerobic metabolism, dependence in vitro of rat and rabbit photoreceptor potentials upon, 545
Age-dependent polypeptide from human lens with non-tryptophan fluorescence, isolation and characterization of, 9
Alcalá, J., Lieska, N. and Maisel, H., Protein composition of bovine lens cortical fiber cell membranes, 581
Amino acids, various, dopamine and some convulsants, effect of, in the electroretinogram of the rabbit, 79
Amylase in human tear fluid: origin and characteristics, compared with salivary and urinary amylases, 395
Anatomy and fine structure of the eye in teleost. III. The structure of the lentiform body in *Fundulus grandis*, 515
Anderson, R. E. (see Dudley, P. A.), 523
Angiography, fluorescein, inhibition of increased permeability of the blood–aqueous barrier by non-steroidal anti-inflammatory compounds as demonstrated by, 499
Anisotropy, optical, of lens fiber cells, 231
Arya, D. V. (see Awasthi, Y. C.), 251
Aryl hydrocarbon hydroxylase induction, genetically regulated, in the eye: possible significance of the drug-metabolizing enzyme system for the retinal pigmented epithelium-choroid, 557
Asai, H., Chiba, T., Kimura, S. and Takagi, M., A light-induced conformational change in rod photoreceptor disc membrane, 259
Atlas, S. A. (see Shichi, H.), 557
Awasthi, Y. C., Miller, S. P., Arya, D. V. and Srivastava, S. K., The effect of copper on human and bovine lens and on human cultured lens epithelium enzymes, 251

Baker, R. (see Tsacopoulos, M.), 47
Balazs, A. (see Philipson, B. T.), 205
Barron, G. (see Dewar, A. J.), 299, 507
Battelle, B.-A. (see La Vail, M. M.), 167
Beeler, G. W. (see Brubaker, R. F.), 37
Bernstein, M. H. (see Pourcho, R. G.), 359
Beta-blocking agents, various, effect of oral administration on the intraocular pressure in healthy volunteers, 451
Bettelheim, F. A., On the optical anisotropy of lens fiber cells, 231
Bhattacherjee, P. and Hammond, B. R., Inhibition of increased permeability of the blood–aqueous barrier by non-steroidal anti-inflammatory compounds as demonstrated by fluorescein angiography, 499
Bill, A. and Heilmann, K., Ocular effects of clonidine in cats and monkeys (*Macaca irus*), 481
Biochemical aspects of the visual process. XXXI. Chemical modification studies on rod outer segment retinol dehydrogenase, 549
—— —— —— —— —— ——. XXX. Distribution of stereospecific retinol dehydrogenase activities in subcellular fractions of bovine retina and pigment epithelium, 325
—— —— —— —— —— —— XXIX. Effect of pronase on rod outer segment membranes and rhodopsin, 315
Bizzell, J. W. (see Borcherding, M. S.), 59
Blacik, L. J. (see Borcherding, M. S.), 59
Bloemendal, H. (see Kibbelaar), 25

Blood vessels, iridial, permeability of, 531
—— –aqueous barrier, inhibition of increased permeability of the, by non-steroidal anti-inflammatory compounds as demonstrated by fluorescein angiography, 499
—— —— ——, molecular sieve effect of, 289
Bok, D. (see Custer, N. V.), 153
Bonting, S. L. (see de Grip, W. J.), 549
—— —— (see Van Breugel, P. J. G. M.), 315
—— —— (see Zimmerman, W. F.), 325
Borcherding, M. S., Blacik, L. J., Sittig, R. A., Bizzell, J. W., Breen, M. and Weinstein, H. G., Proteoglycans and collagen fibre organization in human corneoscleral tissue, 59
Bovine and human lens and human cultured lens epithelium enzymes, the effect of copper on, 251
—— —— —— lenses, cell contacts in, 205
—— corneal epithelium and endothelium, total and oxidized glutathione in, 89
—— lens cortical fiber cell membranes, protein composition of, 581
—— retina and pigment epithelium, distribution of stereospecific retinol dehydrogenase activities in subcellular fractions of; biochemical aspects of the visual process, 325
Breen, M. (see Borcherding, M. S.), 59
Brubaker, R. F., Ezekiel, S., Chin, L., Young, L., Johnson, S. A. and Beeler, G. W., The stress–strain behavior of the corneoscleral envelope of the eye. I. Development of a system for making in vivo measurements using optical interferometry, 37

Calcium content, high, of retinal pigmented epithelium, 471
Cathepsin D in the retinal pigment epithelium, distribution and some properties of, 307
Cats and monkeys (*Macaca irus*), ocular effects of clonidine in, 481
Cell contacts in human and bovine lenses, 205
—— membranes, bovine lens cortical fiber, protein composition of, 581
Cells, ganglion, retinal, variations in the laterality of the central projections of, 193
——, lens fiber, the optical anisotropy of, 231
Chader, G. J. (see Wiggert, B. O.), 143
Chemical modification studies on rod outer segment retinol dehydrogenase; biochemical aspects of the visual process, 549
Chemistry of photoreceptor membranes of rats fed an essential fatty acid deficient diet, further studies on the, 523
Chiba, T. (see Asai, H.), 259
Chick lens, embryonic, post-translational modification of δ-crystallin in, 245
Chin, L. (see Brubaker, R. F.), 37
Chromatography and two-dimensional gel electrophoresis, the topography of lens proteins based on, 25
Ciliary epithelium, normal and prostoglandin-stimulated, solute permeability of, and the effect of ultrafiltration on active transport, 569
Clonidine, ocular effects in cats and monkeys (*Macaca irus*), 481
Collagen fibre organization and proteoglycans in human corneoscleral tissue, 59
Collier, C. R. (see McDevitt, D. S.), 1
Conformational change, light-induced, in rod photo-receptor disc membrane, 259
Congenital endothelial dystrophy, Peters' anomaly and sclerocornea, mesenchymal dysgenesis in, 125
Convulsants, some, various amino acids and dopamine, effect of, in electroretinogram of the rabbit, 79
Copeland, D. E. and Fitzjarrell, A. T., The anatomy and fine structure of the eye in teleost. III. The structure of the lentiform body in *Fundulus grandis*, 515
Copper, effect of, on human and bovine lens and on human cultured lens epithelium enzymes, 251
Cornea, primate, endothelial wound repair in, 113
——, rat, electron microscopic localization of adenosine triphosphatase (NaK-ATPase) activity in, 269
Corneal epithelium and endothelium, bovine, total and oxidized glutathione in, 89
—— ——, regenerated, permeability of, 409
—— ——, the effect of acetylcholine and eserine on the movement of $Na^+$ across the, 235
—— stroma, human and rabbit, normal, statistical morphometric studies in, 221

Corneoscleral envelope of the eye, the stress–strain behavior of, I. Development of a system for making in vivo measurements using optical interferometry, 37
—— tissue, human, proteoglycans and collagen fibre organization in, 59
Cortical fiber cell membranes, bovine lens, protein composition of, 581
Custer, N. V. and Bok, D., Pigment epithelium–photoreceptor interactions in the normal and dystrophic rat retina, 153
Cyclic-AMP phosphodiesterase activity, retinal, in two strains of dystrophic rat, 299

Daemen, F. J. M. (see de Grip, W. J.), 549
—— —— (see Van Breugel, P. J. G. M.), 315
—— —— (see Zimmerman, W. F.), 325
de Grip, W. J., Bonting, S. L. and Daemen, F. J. M., Biochemical aspects of the visual process. XXXI. Chemical modification studies on rod outer segment retinol dehydrogenase, 549
Degeneration, retinal, in two strains of dystrophic rat, the effect of light deprivation on the progress of, 507
Delmelle, M., Noell, W. K. and Organisciak, D. T., Hereditary retinal dystrophy in the rat: rhodopsin, retinol, Vitamin A deficiency, 369
δ-Crystallin, post-translational modification of, in the embryonic chick lens, 245
Deprivation, light, and eye pigmentation, influence of, on inherited retinal dystrophy in the rat, 167
——, ——, effect on the progress of retinal degeneration in two strains of dystrophic rat, 507
Dernouchamps, J. P. and Heremans, J. F., Molecular sieve effect of the blood–aqueous barrier, 289
Dewar, A. J., Barron, G. and Richmond, J., Retinal cyclic–AMP phosphodiesterase activity in two strains of dystrophic rat, 299
—— —— —— —— and Yates, C. M., The effect of light deprivation on the progress of retinal degeneration in two strains of dystrophic rat, 507
Diet, essential fatty acid deficient, further studies on the chemistry of photoreceptor membranes of rats fed on, 523
Disc membrane, photoreceptor, rod, a light-induced conformational change in, 259
Dopamine, various amino acids and some convulsants, effect of, in the electroretinogram of the rabbit, 79
Dudley, P. A., Landis, D. J. and Anderson, R. E., Further studies on the chemistry of photoreceptor membranes of rats fed on essential fatty acid deficient diet, 523
Dysgenesis, mesenchymal, in Peters' anomaly, sclerocornea and congenital endothelial dystrophy, 125
Dystrophic and normal rat retina, pigment epithelium-photoreceptor interactions in, 153
—— rat, phagocytosis in; in situ reactivity of the retinal pigment epithelium, 347
—— ——, retinal cyclic–AMP phosphodiesterase activity in two strains of, 299
—— ——, the effect of light deprivation on the progress of retinal degeneration in two strains of, 507
Dystrophy, endothelial, congenital, Peters' anomaly and sclerocornea, mesenchymal dysgenesis in, 125
——, retinal, hereditary, in the rat: rhodopsin, retinol, vitamin A deficiency, 369
—— ——, inherited, in the rat, influence of eye pigmentation and light deprivation on, 167

Electron microscopic localization of adenosine triphosphatase (NaK–ATPase) activity in the rat cornea, 269
——, transmission, and light-microscopic study of the rat iris in pupillary dilation and constriction, 433
Electroretinogram of the rabbit, the effects of various amino acids, dopamine and some convulsants in, 79
Embryonic chick lens, post-translational modification of δ-crystallin in, 245
Endothelial dystrophy, congenital, Peters' anomaly and sclerocornea, mesenchymal dysgenesis in, 125
—— wound repair in primate cornea, 113

Endothelium and epithelium, bovine corneal, total and oxidized glutathione in, 89
Ensink, F. (see van Haeringen, N. J.), 395
Enzyme system, drug-metabolizing, possible significance of, for the retinal pigmented epithelium–choroid; genetically regulated aryl hydrocarbon hydroxylase induction in the eye, 557
Epithelium and endothelium, bovine corneal, total and oxidized glutathione in, 89
—— –choroid, retinal pigmented, possible significance of the drug-metabolizing enzyme system for the; genetically regulated aryl hydrocarbon hydroxylase induction in the eye, 557
——, ciliary, normal and prostaglandin-stimulated, solute permeability of, and the effect of ultrafiltration on active transport, 569
——, corneal, the effect of acetylcholine and eserine on the movement of $Na^+$ across the, 235
—— ——, regenerated, permeability of, 409
—— enzymes, lens, cultured, human, and human and bovine lens, the effect of copper on, 251
——, pigment, and developing retina, a receptor for retinol, in, 143
—— —— —— retina, bovine, distribution of stereospecific retinol dehydrogenase activities in subcellular fractions of; biochemical aspects of the visual process, 325
—— ——, –photoreceptor interactions in the normal and dystrophic rat retina, 153
——, pigmented, retinal, the high calcium content of, 471
——, retinal pigment, cathepsin D in, distribution and some properties of, 307
—— —— ——, in situ reactivity of, II. Phagocytosis in the dystrophic rat, 347
—— —— —— —— —— —— ——, I. Phagocytosis in the normal rat, 333
Eserine and acetylcholine, their effect on the movement of $Na^+$ across the corneal epithelium, 235
Ezekiel, S. (see Brubaker, R. F.), 37

Fatty acids, essential, further studies on the chemistry of photoreceptor membranes of rats fed on diet deficient in, 523
Fiber cell membranes, bovine lens cortical, protein composition of, 581
—— cells, lens, the optical anisotropy of, 231
——, collagen, organization and proteoglycans in human corneoscleral tissue, 59
Fibers, lens, swelling of, 381
Fitzjarrell, A. T. (see Copeland, D. E.), 515
Fluorescein angiography, inhibition of increased permeability of the blood–aqueous barrier by non-steroidal anti-inflammatory compounds as demonstrated by, 499
Fluorescence, non-tryptophan, isolation and characterization of an age-dependent polypeptide from human lens with, 9
Friend, J. (see Thoft, R. A.), 409
Frogs, *Rana catesbeiana*, the high calcium content of retinal pigmented epithelium, 471
Fukui, H. N. (see Sakuragawa, M.), 381
*Fundulus grandis*, structure of the lentiform body in; the anatomy and fine structure of the eye in teleost, 515

Ganglion cells, retinal, variations in the laterality of the central projections of, 193
Gel electrophoresis, two-dimensional, and chromatography, the topography of lens proteins based on, 25
Genetically regulated aryl hydrocarbon hydroxylase induction in the eye: possible significance of the drug-metabolizing enzyme system for the retinal pigmented epithelium–choroid, 557
Giraud, J. P., Pouliquen, Y., Offret, G. and Payrau, P., Statistical morphometric studies in normal human and rabbit corneal stroma, 221
Glasius, E. (see Van Haeringen, N. J.), 395
Glutathione, total and oxidized, in bovine corneal epithelium and endothelium, 89
Glycogen, retinal, reassessment of histochemistry of, 489
Gökçe, S. (see Gökhan, N.), 71
Gökhan, N. and Gökçe, S., Influence of hypercapnia on intraocular pressure in rabbits, 71
Goldman, A. I., Ham, W. T., Jr and Mueller, H. A., Mechanisms of retinal damage resulting from the exposure of rhesus monkeys to ultrashort laser pulses, 457
Goridis, C. (see Weller, M.), 405
Green, K. (see Pederson, J. E.), 569
Grierson, I. and Lee, W. R., Acid mucopolysaccharides in the outflow apparatus, 417

Ham, W. T., (see Goldman, A. I.), 457
Hammond, B. R. (see Bhattacherjee, P.), 499
Hanninen, L. (see Philipson, B. T.), 205
Hara, S. (see Hayasaka, S.), 307
Hayasaka, S., Hara, S. and Mizuno, K., Distribution and some properties of cathepsin D in the retinal pigment epithelium, 307
Heilmann, K. (see Bill, A.), 481
Henkind, P. (see Szalay, J.), 531
Hereditary retinal dystrophy in the rat: rhodopsin, retinol, vitamin A deficiency, 369
Heremans, J. F. (see Dernouchamps, J. P.), 289
Hess, H. H., The high calcium content of retinal pigmented epithelium, 471
Histochemistry of retinal glycogen, reassessment of, 489
Hockley, D. J. (see Reich-d'Almeida, F. B.), 333, 347
Horlington, M. (see Lazare, R.), 281
Human and bovine lens and human cultured lens epithelium enzymes, the effect of copper on, 251
—— —— —— lenses, cell contacts in, 205
—— —— rabbit corneal stroma, normal, statistical morphometric studies in, 221
—— corneoscleral tissue, proteoglycans and collagen fibre organization in, 59
—— cultured lens epithelium enzymes and human and bovine lens, the effect of copper on, 251
—— eye, the prenatal development of, 93
—— lens, isolation and characterization of an age-dependent polypeptide with non-tryptophan fluorescence, 9
—— tear fluid, amylase in: origin and characteristics, compared with salivary and urinary amylases 395
Hyndiuk, R. A. (see Van Horn, D. L.), 113
Hypercapnia, influence on intraocular pressure in rabbits, 71

Inherited retinal dystrophy in the rat, influence of eye pigmentation and light deprivation on, 167
Inhibition of increased permeability of the blood–aqueous barrier by non-steroidal anti-inflammatory compounds as demonstrated by fluorescein angiography, 499
Interferometry, optical, use in making measurements of the stress–strain behavior of the corneo-scleral envelope of the eye, 37
Iridial blood vessels, permeability of, 531
Iris of rat, a light and transmission electron-microscopic study in pupillary dilation and constriction, 433
Isolation and characterization of an age-dependent polypeptide from human lens with non-tryptophan fluorescence, 9

Johnson, S. A. (see Brubaker, R. F.), 37

Kenyon, K. R., Mesenchymal dysgenesis in Peters' anomaly, sclerocornea and congenital endothelial dystrophy, 125
Kibbelaar, M. and Bloemendal, H., The topography of lens proteins based on chromatography and two-dimensional gel electrophoresis, 25
Kimura, S. (see Asai, H.), 259
Kinoshita, J. H. (see Sakuragawa, M.), 381
Kuwabara, T. (see Sakuragawa, M.), 381

La Vail, M. M. and Battelle, B.-A., Influence of eye pigmentation and light deprivation on inherited retinal dystrophy in the rat, 167
Landis, D. J. (see Dudley, P. A.), 523
Laser pulses, ultrashort, mechanisms of retinal damage resulting from the exposure of rhesus monkeys to, 457
Laterality of the central projections of retinal ganglion cells, variations in, 193

Lazare, R. and Horlington, M., Pilocarpine levels in the eyes of rabbits following topical application, 281
Lee, W. R. (see Grierson, I.), 417
Lens cortical fiber cell membranes, bovine, protein composition of, 581
——, embryonic chick, post-translational modification of δ-crystallin in, 245
—— epithelium enzymes, cultured, human, and human and bovine lens, the effect of copper on, 251
—— fiber cells, the optical anisotropy of, 231
—— fibers, swelling of, 381
——, human and bovine, and human cultured lens epithelium enzymes, the effect of copper on, 251
—— ——, isolation and characterization of an age-dependent polypeptide with non-tryptophan fluorescence, 9
—— proteins of eastern North American salamanders, and their application to urodelan systematics, 1
—— ——, topography of, based on chromatography and two-dimensional gel electrophoresis, 25
Lenses, human and bovine, cell contacts in, 205
Lentiform body, structure of, in *Fundulus grandis*; the anatomy and fine structure of the eye in teleost, 515
Levy, S. (see Tsacopoulos, M.), 47
Lieska, N. (see Alcalá, J.), 581
Light and transmission electron-microscopic study of the rat iris in pupillary dilation and constriction, 433
—— deprivation and eye pigmentation, influence of, on inherited retinal dystrophy in the rat, 167
—— ——, effect on the progress of retinal degeneration in two strains of dystrophic rat, 507
—— -induced conformational change in rod photoreceptor disc membrane, 259
Lim, W. C. and Webber, W. A., A light and transmission electron-microscopic study of the rat iris in pupillary dilation and constriction, 433
Lion, F. (see Zimmerman, W. F.), 325
Localization, electron microscopic, of adenosine triphosphatase (NaK–ATPase) activity in the rat cornea, 269
—— of ($^3H_2$)vitamin A in mouse retina, 359
Lund, R. D., Variations in the laterality of the central projections of retinal ganglion cells, 193

*Macaca irus* and cats, ocular effects of clonidine in, 481
McDevitt, D. S. and Collier, C. R., The lens proteins of eastern North American salamanders, and their application to urodelan systematics, 1
Maisel, H. (see Alcalá, J.), 581
Mammalian intraretinal metabolism and function, a versatile system for in situ study of, 47
Mandel, P. (see Weller, M.), 405
Membranes, cell, bovine lens cortical fiber, protein composition of, 581
Membrane, disc, photoreceptor, rod, a light-induced conformational change in, 259
Membranes, photoreceptor, of rats fed an essential fatty acid deficient diet, further studies on the chemistry of, 523
——, rod outer segment, and rhodopsin, effect of pronase on; biochemical aspects of the visual process, 315
Mesenchymal dysgenesis in Peters' anomaly, sclerocornea and congenital endothelial dystrophy, 125
Metabolism and function, intraretinal, mammalian, a versatile system for in situ study of, 47
——, anaerobic and aerobic, dependence in vitro of rat and rabbit photoreceptor potentials upon, 545
Miller, S. P. (see Awasthi, Y. C.), 251
Mizuno, K. and Sato, K., Reassessment of histochemistry of retinal glycogen, 489
—— —— (see Hayasaka, S.), 307
Model, hypothetical, for the possible involvement of rhodopsin phosphorylation in light and dark adaptation in the retina, 405
Molecular sieve effect of the blood–aqueous barrier, 289

Monkeys (*Macaca irus*) and cats, ocular effects of clonidine in, 481
——, rhesus, mechanisms of retinal damage resulting from exposure to ultrashort laser pulses, 457
Morphometric studies, statistical, in normal human and rabbit corneal stroma, 221
Mouse retina, localization of ($^3H_2$)vitamin A in, 359
Mucopolysaccharides, acid, in the outflow apparatus, 417
Mueller, H. A. (see Goldman, A. I.), 457
Munoz, J. L. (see Tsacopoulos, M.), 47

$Na^+$ movement across the corneal epithelium, the effect of acetylcholine and eserine on, 235
NaK–ATPase activity in the rat cornea, electron microscopic localization of, 269
Nebert, D. W. (see Shichi, H.), 557
Noell, W. K. (see Delmelle, M.), 369
Nunziata, B. (see Szalay, J.), 531

Offret, G. (see Giraud, J. P.), 221
Optical anisotropy of lens fiber cells, 231
O'Rahilly, R., The prenatal development of the human eye, 93
Organisciak, D. T. (see Delmelle, M.), 369
Outflow apparatus, acid mucopolysaccharides in, 417

Palkama, A. (see Tervo, T.), 269
Pandolfi, M. (see Wettrell, K.), 451
Payrau, P. (see Giraud, J. P.), 221
Pederson, J. E. and Green, K., Solute permeability of the normal and prostaglandin-stimulated ciliary epithelium and the effect of ultrafiltration on active transport, 569
Permeability, increased, of the blood–aqueous barrier, inhibition by non-steroidal anti-inflammatory compounds as demonstrated by fluorescein angiography, 499
—— of iridial blood vessels, 531
—— —— regenerated corneal epithelium, 409
——, solute, of the normal and prostaglandin-stimulated ciliary epithelium and the effect of ultrafiltration on active transport, 569
Peters' anomaly, sclerocornea and congenital endothelial dystrophy, mesenchymal dysgenesis in, 125
Phagocytosis in the dystrophic rat; in situ reactivity of the retinal pigment epithelium, 347
—— —— —— normal rat; in situ reactivity of the retinal pigment epithelium, 333
Philipson, B. T., Hanninen, L. and Balazs, E. A., Cell contacts in human and bovine lenses, 205
Photoreceptor disc membrane, rod, a light-induced conformational change in, 259
—— membranes of rats fed an essential fatty acid deficient diet, further studies on the chemistry of, 523
—— –pigment epithelium interactions in the normal and dystrophic rat retina, 153
—— potentials, rat and rabbit, dependence on anaerobic and aerobic metabolism in vitro, 545
Phosphorylation, rhodopsin, a hypothetical model for the possible involvement of, in light and dark adaptation in the retina, 405
Piatigorsky, J., Post-translational modification of δ-crystallin in the embryonic chick lens, 245
Pigment epithelium and developing retina, a receptor for retinol in, 143
—— —— —— retina, bovine, distribution of stereospecific retinol dehydrogenase activities in subcellular fractions of; biochemical aspects of the visual process, 325
—— —— –photoreceptor interactions in the normal and dystrophic rat retina, 153
Pigmentation, eye, and light deprivation, influence of, on inherited retinal dystrophy in the rat, 167
Pigmented epithelium–choroid, retinal, possible significance of the drug-metabolizing enzyme system for the; genetically regulated aryl hydrocarbon hydroxylase induction in the eye, 557
Pilocarpine levels in the eyes of rabbits following topical application, 281
Polypeptide, age-dependent, from human lens with non-tryptophan fluorescence, isolation and characterization of, 9

Post-translational modification of δ-crystallin in the embryonic chick lens, 245
Pouliquen, Y. (see Giraud, J. P.), 221
Pourcho, R. G. and Bernstein, M. H., Localization of ($^3H_2$)vitamin A in mouse retina, 359
Prenatal development of the human eye, 93
Pressure, intraocular, in healthy volunteers, effect of oral administration of various beta-blocking agents on, 451
—— —— —— rabbits, influence of hypercapnia on, 71
Primate cornea, endothelial wound repair in, 113
Projections, central, of retinal ganglion cells, variations in the laterality of, 193
Pronase, effect of, on rod outer segment membranes and rhodopsin; biochemical aspects of the visual process, 315
Prostaglandin-stimulated and normal ciliary epithelium, solute permeability of, and the effect of ultrafiltration on active transport, 569
Protein composition of bovine lens cortical fiber cell membranes, 581
Proteins, lens, of eastern North American salamanders, and their application to urodelan systematics, 1
—— ——, topography of, based on chromatography and two-dimensional gel electrophoresis, 25
Proteoglycans and collagen fibre organization in human corneoscleral tissue, 59
Pupillary dilation and constriction, a light and transmission electron-microscopic study of the rat iris, in, 433

Rabbit and human corneal stroma, normal, statistical morphometric studies in, 221
—— —— rat photoreceptor potentials, dependence on anaerobic and aerobic metabolism in vitro, 545
——, the effects of various amino acids, dopamine and some convulsants in the electroretinogram of, 79
Rabbits, eye pilocarpine levels following topical application, 281
——, influence of hypercapnia on intraocular pressure in, 71
*Rana catesbeiana*, the high calcium content of retinal pigmented epithelium, 471
Rat and rabbit photoreceptor potentials, dependence on anaerobic and aerobic metabolism in vitro, 545
—— cornea, electron microscopic localization of adenosine triphosphatase (NaK–ATPase) activity in, 269
——, dystrophic, retinal cyclic-AMP phosphodiesterase activity in two strains of, 299
—— ——, the effect of light deprivation on the progress of retinal degeneration in two strains of, 507
——, hereditary retinal dystrophy in the: rhodopsin, retinol, vitamin A deficiency, 369
—— iris, a light and transmission electronmicroscopic study in pupillary dilation and constriction 433
——, normal, phagocytosis in; in situ reactivity of the retinal pigment epithelium, 333
—— retina, normal and dystrophic, pigment epithelium-photoreceptor interactions in, 153
Rats fed an essential fatty acid deficient diet, further studies on the chemistry of photoreceptor membranes of, 523
Receptor for retinol in the developing retina and pigment epithelium, 143
Reich-d'Almeida, F. B. and Hockley, D. J., In situ reactivity of the retinal pigment epithelium. II. Phagocytosis in the dystrophic rat, 347
—— —— —— —

Retinal damage resulting from the exposure of rhesus monkeys to ultrashort laser pulses, mechanisms of, 457
—— degeneration in two strains of dystrophic rat, the effect of light deprivation on the progress of, 507
—— dystrophy, hereditary, in the rat: rhodopsin, retinol, vitamin A deficiency, 369
—— ——, inherited, in the rat, influence of eye pigmentation and light deprivation on, 167
—— ganglion cells, variations in the laterality of the central projections of, 193
—— glycogen, reassessment of histochemistry of, 489
——, intra-, metabolism and function, mammalian, a versatile system for in situ study of, 47
—— pigment epithelium, cathepsin D in, distribution and some properties of, 307
—— —— ——, in situ reactivity of, II. Phagocytosis in the dystrophic rat, 347
—— —— —— —— —— —— ——, I. Phagocytosis in the normal rat, 333
—— pigmented epithelium, the high calcium content of, 471
—— —— —— –choroid, possible significance of the drug-metabolizing enzme system for the; genetically regulated aryl hydrocarbon hydroxylase induction for the eye, 557
Retinol dehydrogenase, rod outer segment, chemical modification studies on; biochemical aspects of the visual process, 549
—— ——, stereospecific, activities in subcellular fractions of bovine retina and pigment epithelium, distribution of; biochemical aspects of the visual process, 325
——, receptor for, in the developing retina and pigment epithelium, 143
——, rhodopsin and vitamin A deficiency: hereditary retinal dystrophy in the rat, 369
Rhesus monkeys, mechanism of retinal damage resulting from exposure to ultrashort laser pulses, 457
Rhodopsin and rod outer segment membranes, effect of pronase on; biochemical aspects of the visual process, 315
—— phosphorylation, a hypothetical model for the possible involvement of, in light and dark adaptation in the retina, 405
——, retinol and vitamin A deficiency: hereditary retinal dystrophy in the rat, 369
Richmond, J. (see Dewar, A. J.), 299
Rod photoreceptor disc membrane, a light-induced conformational change in, 259
—— outer segment membranes and rhodopsin, effect of pronase on; biochemical aspects of the visual process, 315
—— —— —— retinol dehydrogenase, chemical modification studies on; biochemical aspects of the visual process, 549
Roy, D. (see Spector, A.), 9

Sakuragawa, M., Kuwabara, T., Kinoshita, J. H. and Fukui, H. N., Swelling of the lens fibers, 381
Salamanders, eastern North American, lens proteins of, and their application to urodelan systematics, 1
Salivary and urinary amylases, comparison of origin and characteristics with those of amylase in human tear fluid, 395
Sato, K. (see Mizuno, K.), 489
Sclerocornea, Peters' anomaly and congenital endothelial dystrophy, mesenchymal dysgenesis in, 125
Shichi, H., Atlas, S. A. and Nebert, D. W., Genetically regulated aryl hydrocarbon hydroxylase induction in the eye: possible significance of the drug-metabolizing enzyme system for the retinal pigmented epithelium–choroid, 557
Sieve, molecular, effect of the blood–aqueous barrier, 289
Sittig, R. A. (see Borcherding, M. S.), 59
Solute permeability of the normal and postaglandin-stimulated ciliary epithelium and the effect of ultrafiltration on active transport, 569
Spector, A., Roy, D. and Stauffer, J., Isolation and characterization of an age-dependent polypeptide from human lens with non-tryptophan fluorescence, 9
Srivastava, S. K. (see Awasthi, Y. C.), 251
Starr, M. S., The effects of various amino acids, dopamine and some convulsants in the electroretinogram of the rabbit, 79

Statistical morphometric studies in normal human and rabbit corneal stroma, 221
Stauffer, J. (see Spector, A.), 9
Stereospecific retinol dehydrogenase activities in subcellular fractions of bovine retina and pigment epithelium, distribution of; biochemical aspects of the visual process, 325
Stevenson, R. W. and Wilson, W. S., The effect of acetylcholine and eserine on the movement of $Na^+$ across the corneal epithelium, 235
Stress–strain behavior of the corneoscleral envelope of the eye. I. Development of a system for making in vivo measurements using optical interferometry, 37
Stroma, corneal, human and rabbit, normal, statistical morphometric studies in, 221
Structure of the lentiform body in *Fundulus grandis*; the anatomy and fine structure of the eye in teleost, 515
Swelling of the lens fibers, 381
Szalay, J., Nunziata, B. and Henkind, P., Permeability of iridial blood vessels, 531

Takagi, M. (see Asai, H.), 259
Tear fluid, human, amylase in: origin and characteristics, compared with salivary and urinary amylases, 395
Teleost, the anatomy and fine structure of the eye in, III. The structure of the lentiform body in *Fundulus grandis*, 515
Tervo, T. and Palkama, A., Electron microscopic localization of adenosine triphosphatase (NaK–ATPase) activity in the rat cornea, 269
Thoft, R. A. and Friend, J., Permeability of regenerated corneal epithelium, 409
Topography of lens proteins based on chromatography and two-dimensional gel electrophoresis, 25
Tsacopoulos, M., Baker, R., Levy, S. and Munoz, J. L., A versatile system for studying mammalian intraretinal metabolism and function in situ, 47

Ultrafiltration, effect on active transport, and the solute permeability of the normal and prostaglandin-stimulated ciliary epithelium, 569
Urinary and salivary amylases, comparison of origin and characteristics with those of amylase in human tear fluid, 395
Urodelan systematics, application to, of lens proteins of eastern North American salamanders, 1

Van Breugel, P. J. G. M., Daemen, F. J. M. and Bonting, S. L., Biochemical aspects of the visual process. XXIX. Effect of pronase on rod outer segment membranes and rhodopsin, 315
—— Haeringen, N. J., Ensink, F. and Glasius, E., Amylase in human tear fluid: origin and characteristics, compared with salivary and urinary amylases, 395
—— Horn, D. L. and Hyndiuk, R. A., Endothelial wound repair in primate cornea, 113
Virmaux, N. (see Weller, M.), 405
Visual process, biochemical aspects of, XXXI. Chemical modification studies on rod outer segment retinol dehydrogenase, 549
—— —— —— —— ——, XXX. Distribution of stereospecific retinol dehydrogenase activities in subcellular fractions of bovine retina and pigment epithelium, 325
—— —— —— —— ——, XXIX. Effect of pronase on rod outer segment membranes and rhodopsin, 315
Vitamin A deficiency, rhodopsin and retinol: hereditary retinal dystrophy in the rat, 369
($^3H_2$)Vitamin A, localization in mouse retina, 359

Webber, W. A. (see Lim, W. C.), 433
Weinstein, H. G. (see Borcherding, M. S.), 59
Weller, M., Goridis, C., Virmaux, N. and Mandel, P., A hypothetical model for the possible involvement of rhodopsin phosphorylation in light and dark adaptation in the retina, 405
Wettrell, K. and Pandolfi, M., Effect of oral administration of various beta-blocking agents on the intraocular pressure in healthy volunteers, 451

Whikehart, D. R., Total and oxidized glutathione in bovine corneal epithelium and endothelium, 89
Wiggert, B. O. and Chader, G. J., A receptor for retinol in the developing retina and pigment epithelium, 143
Wilson, W. S. (see Stevenson, R. W.), 235
Winkler, B. S., Dependence of rat and rabbit photoreceptor potentials upon anaerobic and aerobic metabolism in vitro, 545
Wound repair, endothelial, in primate cornea, 113

Yates, C. M. (see Dewar, A. J.), 507
Young, L. (see Brubaker, R. F.), 37

Zimmerman, W. F., Lion, F., Daemen, F. J. M. and Bonting, S. L., Biochemical aspects of the visual process. XXX. Distribution of stereospecific retinol dehydrogenase activities in subcellular fractions of bovine retina and pigment epithelium, 325